



# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER FOR PATENTS  
P.O. Box 1450  
Alexandria, Virginia 22313-1450  
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/823,940	04/14/2004	Tatsuya Kuroda	09792909-5866	5280

26263 7590 05/04/2009  
SONNENSCHN NATH & ROSENTHAL LLP  
P.O. BOX 061080  
WACKER DRIVE STATION, SEARS TOWER  
CHICAGO, IL 60606-1080

EXAMINER
----------

SARPONG, AKWASI

ART UNIT	PAPER NUMBER
----------	--------------

2625

MAIL DATE	DELIVERY MODE
-----------	---------------

05/04/2009

PAPER

**Please find below and/or attached an Office communication concerning this application or proceeding.**

The time period for reply, if any, is set in the attached communication.

<b>Office Action Summary</b>	<b>Application No.</b> 10/823,940	<b>Applicant(s)</b> KURODA ET AL.	
	<b>Examiner</b> AKWASI M. SARPONG	<b>Art Unit</b> 2625	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

### Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

### Status

- 1) ☒ Responsive to communication(s) filed on 11 February 2009.
- 2a) ☒ This action is **FINAL**.                      2b) ☐ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

### Disposition of Claims

- 4) ☒ Claim(s) 1,3-5 and 7 is/are pending in the application.
- 4a) Of the above claim(s) \_\_\_\_\_ is/are withdrawn from consideration.
- 5) ☐ Claim(s) \_\_\_\_\_ is/are allowed.
- 6) ☒ Claim(s) 1,3-5 and 7 is/are rejected.
- 7) ☐ Claim(s) \_\_\_\_\_ is/are objected to.
- 8) ☐ Claim(s) \_\_\_\_\_ are subject to restriction and/or election requirement.

### Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☒ The drawing(s) filed on 14 April 2004 is/are: a) ☒ accepted or b) ☐ objected to by the Examiner.  
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).  
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

### Priority under 35 U.S.C. § 119

- 12) ☒ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☒ All    b) ☐ Some \*    c) ☐ None of:
1. ☒ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

\* See the attached detailed Office action for a list of the certified copies not received.

### Attachment(s)

- |  |   |
|--|---|
| 1) <input checked="" type="checkbox"/> Notice of References Cited (PTO-892)            | 4) <input type="checkbox"/> Interview Summary (PTO-413)           |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948)   | Paper No(s)/Mail Date. _____                                      |
| 3) <input checked="" type="checkbox"/> Information Disclosure Statement(s) (PTO/SB/08) | 5) <input type="checkbox"/> Notice of Informal Patent Application |
| Paper No(s)/Mail Date <u>02/03/2006, 12/12/2007 and 03/27/2008</u> .                   | 6) <input type="checkbox"/> Other: _____                          |



***Claim Rejections - 35 USC § 103***

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

1. Claims 1,3-5,7 are rejected under 35 U.S.C. 103(a) as being unpatentable over Cariffe (6281872) in view of Barrett (5301036).

**Claim 1**, Cariffe disclose a print terminal (**Fig. 1 shows a print terminal**) comprising:

an image-capturing unit (**Fig. 1, El. 13 or scanner 13 is used to scan images – hence capture images**) for receiving image data and outputting captured. (**Col. 2 , Lines 1-8, thus the image or photo is captured by scanner 13 and printed out by printer 16**)

a display unit (**Fig. 1, El. 14 or display 14**) configured to display a print-medium image (**Fig. 2, El. 41 shows the print medium or the paper and the flower superimposed together - understand that any portion` of the document which is not part of the flower shows part of the medium or paper**) and a print image (**Flower**) superimposed on a rectangular frame representing an outline of a sheet serving as a print medium, (**Col. 2 Lines 15-25, Fig. 2 , El. 41-understand that El 41 shown in fig. 2 is the flower superimposed on the print medium or paper**) wherein said a print image is created by rotating the captured image data by a rotation angle,

**(Col. 2 Lines 31-35, Fig. 2 El. 52-thus the desired image is ascertained by the user selecting button 52 which rotates the image according to the number put in by the user) said rotation angle being selectable within a range of one to ninety degrees (Col. 3 Lines 17-47- thus the user can select numbers between 0 and 180 degrees for example 45 degrees)**

an image- processing unit **(hardware driver 12 shown in Fig. 1)** configured to control, in response to a user input, **(Fig. 2 shows a user interface used by the user to input his instruction)** an orientation of the print medium relative to the print image **(Col. 2 Lines 29-35-Be aware that when the image is rotated 180 degrees it changes the orientation of the rectangular medium relative to the image data)** the said image-processing unit to perform (ii) rotating the print image, **(Col. 2 lines 30-35 hence the print image is rotated when the user select button 52).**

Carriffe does not disclose any combination of by (i) rotating the print-medium image simultaneously rotating both the print image and the print- medium image.

Barrett discloses any combination of by (i) rotating the print-medium image, **(Fig. 11 shows clearly that the image "A" and "B" stays the same while the rectangular box is rotated (medium))** simultaneously rotating both the print image and the print-medium image. **(Col. 8, lines 36-50, Fig. 11- thus in order for the copier to output the image in a booklet form, both the image "A" and "B" and the print medium has to be rotated as clearly shown in Fig. 11 under the rotation required for right side up orientation column).** Therefore it will be obvious to one ordinary skilled in the

Art Unit: 2625

art at the time the invention was made to modify Carriffe's editor software to include rotating the medium and also both the image and the print medium simultaneously so that the user can edit images in different ways as they desire. The motivation for doing this is to enable users to be able to view their images in different angles.

**Claim 2- (Cancelled)**

**Claim 3**, Cariffe in view of Barrett discloses a print terminal wherein rotating the captured image data by a rotation angle less than ninety degrees corrects a tilt of the captured image data. **(Cariffe: Col. 3 Lines 30-46, Fig. 6, El. 143 show a 45 degrees tilted image which was rotated by the user selecting or wherein (R=45)).**

**Claim 4**, Cariffe in view of Barrett discloses a print terminal that further comprising a reader **(Cariffe: Fig. 1, El. 13 thus the scanner is used to read the image as it is been scanned)** for reading the image data from a recording medium, wherein the image-capturing unit **(Cariffe: Scanner 13 is use to scan images)** receives image data read by the reader. **(Cariffe: Col. 1 Lines 61-67 and Col. 2 Lines 1-7-thus the scanner is used in scanning or reading hard copies into soft copies)**

**Claim 5**, Cariffe discloses a print system **(Fig. 1 shows a print system)** comprising: an image-capturing unit for receiving image data **(Fig. 1 El. 13 or Scanner**

Art Unit: 2625

**13) and outputting captured image data (Col. 2 , Lines 1-8, thus the image or photo is captured by scanner 13 and printed out by printer 16).**

a display unit **(Fig. 1, El. 14 or display 14)** configured to display a print-medium image **(Fig. 2, El. 41 shows the print medium or the paper which is going to be used to print the flower which is the image)** and a print image (Flower) superimposed on a rectangular frame representing an outline of a sheet serving as a print medium, **(Col. 2 Lines 15-25, Fig. 2 , El. 41-understand that El 41 shown in fig. 2 is the flower superimposed on the print medium or paper)** wherein said a print image is created by rotating the captured image data by a rotation angle, **(Col. 2 Lines 31-35, Fig. 2 El. 52-thus the desired image is ascertained by the user selecting button 52 which rotates the image according to the number put in by the user)** said rotation angle being selectable within a range of one to ninety degrees **(Col. 3 Lines 17-47- thus the user can select numbers between 0 and 180 degrees for example 45 degrees)**

an image- processing unit **(fig. 1 El. 12 or hardware driver)** configured to control, in response to a user input, **(Fig. 2 shows a user interface used by the user to input his instruction)** an orientation of the print medium relative to the print image **(Col. 2 Lines 29-35-Be aware that when the image is rotated 180 degrees it changes the orientation of the rectangular medium relative to the image data)** said image-processing unit operable to perform (ii) rotating the print image, **(Col. 2 lines 30-35 hence the print image is rotated when the user select button 52).**

a printer for printing the print image on the print medium. **(Col. 2 Lines 1-8, Fig. 1 El. 16 or printer 16).**

Carriffe does not disclose any combination of\_(i) rotating the print-medium image, **(Col. 5, lines 23-26, Fig. 7, El. 143 shows clearly that the image (flower) together with the medium (rectangular border) are rotated)** simultaneously rotating both the print image and the print- medium image.

Barrett discloses any combination of\_(i) rotating the print-medium image, **(Col. 5, lines 23-26, Fig. 7, El. 143 shows clearly that the image (flower) together with the medium (rectangular border) are rotated)** simultaneously rotating both the print image and the print- medium image. **(Col. 8, lines 36-50, Fig. 11- thus in order for the copier to output the image in a booklet form, both the image "A" and "B" and the print medium has to be rotated as clearly shown in Fig. 11 under the rotation required for right side up orientation column).** Therefore it will be obvious to one ordinary skilled in the art at the time the invention was made to modify Carriffe's editor software to include rotating the medium and also both the image and the print medium simultaneously so that the user can edit images in different ways as they desire. The motivation for doing this is to enable users to be able to view their images in different angles.

**Claim 6, -Cancelled**



**Claim 7**, Cariffe discloses a computer- readable storage medium (**Fig. 1 El. 17- thus the program used in carrying out these steps are all stored in memory 17**) storing a program comprising the steps of:

displaying a print-medium image and a print image, (**Fig. 2, El. 41 shows the print medium or the paper which is going to be used to print the flower which is the image**) whereby said print-medium image and said print image are displayed superimposed on a rectangular frame representing an outline of a sheet serving as a print medium, (**Col. 2 Lines 15-25, Fig. 2 , El. 41-understand that El 41 shown in fig. 2 is the flower superimposed on the rectangular sheet (print medium or paper))** wherein said\_print image is created by rotating captured image data by a rotation angle, (**Col. 2 Lines 31-35, Fig. 2 El. 52-thus the desired image is ascertained by the user selecting button 52 which rotates the image according to the number put in by the user**) said rotation angle being selectable within a range of one to ninety degrees (**Col. 3 Lines 17-47- thus the user can select numbers between 0 and 180 degrees for example 45 degrees**).

controlling, in response to a user input, an orientation of  $[[a]]$  the print medium relative to the print image using an image-processing unit, said image-processing unit operable to perform (**Col. 2 Lines 29-35-Be aware that when the image is rotated it changes the orientation of the image to the print medium which is superimposed on**) (ii) rotating the print image, (**Col. 2 lines 30-35 hence the print image is rotated when the user select button 52**) displaying a print preview of said print-medium image and the print image resulting from said at least one rotating step (**Fig. 3 El. 143 shows**

**clearly how the final image is going to look like and the user can revert if it needs modification) .**

Carriffe does not disclose any combination of by (i) rotating the print-medium image simultaneously rotating both the print image and the print- medium image.

Barrett discloses any combination of by (i) rotating the print-medium image, **(Fig. 11 shows clearly that the image "A" and "B" stays the same while the rectangular box is rotated (medium))** simultaneously rotating both the print image and the print-medium image. **(Col. 8, lines 36-50, Fig. 11- thus in order for the copier to output the image in a booklet form, both the image "A" and "B" and the print medium has to be rotated as clearly shown in Fig. 11 under the rotation required for right side up orientation column).** Therefore it will be obvious to one ordinary skilled in the art at the time the invention was made to modify Carriffe's editor software to include rotating the medium and also both the image and the print medium simultaneously so that the user can edit images in different ways as they desire. The motivation for doing this is to enable users to be able to view their images in different angles.

**Claim 8, - (Cancelled)**

**Claim 9, -(Cancelled)**

**Response to applicant's remark**

The remarks filed by the applicant on 02/11/2009 was considered by the examiner but was considered not persuasive.

**With regards to claim 1**, the applicant argues that the cited reference fails to teach or suggest rotating or displaying a print-medium image in any manner, as recited in each of the independent claims.

**In reply**, Examiner respectfully disagrees because Cariffe discloses rotating or displaying a print-medium image in any manner. **(Fig. 1 El 41 shows a flower (Image) which is imposed on a rectangular medium)**. Thus the flower is the image while the rectangular medium represents the medium or the paper or sheet which is going to be printed on. It is well known in the art that the rectangular medium shows the paper that the image is going to be printed on. Therefore Cariffe discloses a print medium-image. Also understand that when the image is finally printed, the flower is the image while the rest of El. 41 will be paper or the sheet which is printed on.

Furthermore Barrett discloses (i) rotating the print-medium image, **(Fig. 11 shows clearly that the image "A" and "B" stays the same while the rectangular box is rotated (medium))**.

### ***Conclusion***

2. Applicant's amendment necessitated the new ground(s) of rejection presented in this Office action. Accordingly, **THIS ACTION IS MADE FINAL**. See MPEP § 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire **THREE MONTHS** from the mailing date of this action. In the event a first reply is filed within

Art Unit: 2625

TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the date of this final action.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to AKWASI M. SARPONG whose telephone number is (571)270-3438. The examiner can normally be reached on Monday-Friday 8:00am-5:00pm est.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, King Poon can be reached on 571-272-7440. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Art Unit: 2625

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

AMS

04/28/2009

/King Y. Poon/

Supervisory Patent Examiner, Art Unit 2625